











**Retail Products** (See website for current price)  
**12 volt DC Lights 12 volt DC LED Lights**





Part number legend:








8675sLwhLg4s10ww














Recessed Lights - Fixed					MSRP	
Series	Description	Base No.	Fixture Color	Bulb No./Color		
<b>Mars</b>	Recessed ceiling light, plastic with convex spiral plastic lens					
	4.75 in. w x 1 in. recess with 3.25 in. cutout	8812nf				
	White fixture color (trim ring).		wh			
	Standard bulb: G4 10 watt Xenon bulb			fg41210		\$ 22.00
<b>Optional color</b>	<b>Optional Fixture colors</b> : cr (chrome)		cr		add	\$ 8.00
<b>Optional switch</b>	<b>Optional built-in toggle switch</b> - change base "n" to "s" and add to fixture price	8812sf			add	\$ 9.00
<b>Mars LED</b>	4.75 in. w x 1 in. recess with 3.25 in. cutout	8812nL				
	White fixture color (trim ring).		wh			
	LED -Choose from Standard 1.5 watt, energy efficient LED bulb (~12 w Halogen)					
	Specify LED Type: 928ww=187 Lumen warm white; 928cw=192 Lumen cool white; 10bu= blue; 10rd=red			Lg4s__		\$ 34.00
<b>Optional Brighter LED</b>	LED - 2.1 watt - <u>128ww</u> = 240 Lumens warm white; <u>128cw</u> = 284 Lumens cool white			Lg4s__	add	\$ 3.00
<b>Optional: Bi-Color LED Bulb</b> - specify color/power (toggle off/on to change color)						
	<u>3rd6ww</u> or <u>3bu6ww</u> (3 red or 3 blue LEDs [15 lumen] AND 6 warm white LEDs [117 Lumens], 1.34 watts			Lg4s3__6ww	add	\$ 6.00
	<u>6rd10ww</u> or <u>6bu10ww</u> (6 red or 6 blue LEDs [27 lumen] AND 10 warm white LEDs [173 Lumens], 1.8 watts			Lg4s6__10ww	add	\$ 9.00
<b>Mars 3-Way LED</b>	<b>Optional 3 Way LED Bulb</b> - (toggle off/on to dim) 197/129/65 Lumens ww, 2 watts			Lg4s963ww	add	\$ 5.00
<b>Optional color</b>	<b>Optional Fixture colors</b> : chrome (cr)		cr		add	\$ 8.00
<b>Optional switch</b>	add toggle switch to fixture - change base "n" to "s" and add to fixture price	8812sL			add	\$ 9.00
<b>Nova</b>	Plastic ceiling light with frosted glass lens. Low Profile					
	3 in. w x 0.75 in. recess with 2 in. cutout	8777nf				
	White fixture color (trim ring).		wh			
	Standard bulb: G4 10 watt Xenon bulb			fg41210		\$ 18.00
<b>Optional color</b>	<b>Optional Fixture Colors</b> : be (beige); cr (chrome); gd (gold); ms (matt silver); sd (silver sand)		be, cr, gd, ms, sd		add	\$ 5.00
<b>Optional switch</b>	<b>Optional built-in toggle switch</b> - change base "n" to "s" and add to fixture price	8777sf			add	\$ 8.00

	<optional spring mount clips for Nova/Nova LED (append first 4 digits of part to 8778)	8778			add	\$ 3.00
<b>Nova LED</b>	3 in. w x 0.75 in. recess with 2 in. cutout	8777nL				
	White fixture color (trim ring).		wh			
	LED -Choose from Standard 1.5 watt, energy efficient LED bulb (~12 w Halogen)					
	Specify LED Type: 928ww=187 Lumen warm white; 928cw=192 Lumen cool white; 10bu= blue; 10rd=red			Lg4s____		\$ 30.00
<b>Optional Brighter LED</b>	LED - 2.1 watt - <u>128ww</u> = 240 Lumens warm white; <u>128cw</u> = 284 Lumens cool white			Lg4s____	add	\$ 3.00
<b>Optional: Bi-Color LED Bulb</b> - specify color/power (toggle off/on to change color)						
	3rd6ww or 3bu6ww (3 red or 3 blue LEDs [15 lumen] AND 6 warm white LEDs [117 Lumens], 1.34 watts			Lg4s3__6ww	add	\$ 6.00
	6rd10ww or 6bu10ww (6 red or 6 blue LEDs [27 lumen] AND 10 warm white LEDs [173 Lumens], 1.8 watts			Lg4s6__10ww	add	\$ 9.00
<b>Nova 3-Way LED</b>	Optional 3 Way LED Bulb - (toggle off/on to dim) 197/129/65 Lumens ww, 2 watts			Lg4s963ww	add	\$ 5.00
<b>Optional color</b>	<b>Optional Fixture Colors:</b> be (beige); cr (chrome); gd (gold); ms (matt silver); sd (silver sand)		be, cr, gd, ms, sd		add	\$ 5.00
<b>Optional switch</b>	add toggle switch to fixture - change base "n" to "s" and add to fixture price	8777sL			add	\$ 8.00
	<optional spring mount clips for Nova/Nova LED (append first 4 digits of part to 8778)	8778			add	\$ 3.00
<b>Pinto</b>	Plastic ceiling light with frosted glass lens. Low Profile					
	3.21 in. w x 1 in. recess with 2.25 in. cutout	8675nf				
	White fixture color (trim ring).		wh			
	Standard bulb: G4 10 watt Xenon bulb			fg41210		\$ 18.00
<b>Optional color</b>	<b>Optional Fixture Colors:</b> cr (chrome)		cr		add	\$ 5.00
<b>Optional switch</b>	<b>Optional built-in toggle switch</b> - change base "n" to "s" and add to fixture price	8675sf			add	\$ 8.00
<b>Pinto LED</b>	3.21 in. w x 1 in. recess with 2.25 in. cutout	8675nL				
	White fixture color (trim ring).		wh			
	LED -Choose from Standard 1.5 watt, energy efficient LED bulb (~12 w Halogen)					
	Specify LED Type: 928ww=187 Lumen warm white; 928cw=192 Lumen cool white; 10bu= blue; 10rd=red			Lg4s____		\$ 30.00
<b>Optional Brighter LED</b>	LED - 2.1 watt - <u>128ww</u> = 240 Lumens warm white; <u>128cw</u> = 284 Lumens cool white			Lg4s____	add	\$ 3.00
<b>Optional: Bi-Color LED Bulb</b> - specify color/power (toggle off/on to change color)						
	3rd6ww or 3bu6ww (3 red or 3 blue LEDs [15 lumen] AND 6 warm white LEDs [117 Lumens], 1.34 watts			Lg4s3__6ww	add	\$ 6.00
	6rd10ww or 6bu10ww (6 red or 6 blue LEDs [27 lumen] AND 10 warm white LEDs [173 Lumens], 1.8 watts			Lg4s6__10ww	add	\$ 9.00
<b>Pinto LED 3-Way</b>	Optional 3 Way LED Bulb - (toggle off/on to dim) 197/129/65 Lumens ww, 2 watts			Lg4s963ww	add	\$ 5.00
<b>Optional color</b>	<b>Optional Fixture Colors:</b> cr (chrome) gd (gold)		cr, gd		add	\$ 5.00
<b>Optional switch</b>	add toggle switch to fixture - change base "n" to "s" and add to fixture price	8675sL			add	\$ 8.00
<b>Ringo</b>	Plastic light fixture with frosted plastic lens.					
	3.27 in. w x 1 in. recess with 2 in. cutout. 0.67 in. profile	8308nf				
	White fixture color (trim ring).		wh			
	Standard bulb: G4 10 watt Xenon bulb			fg41210		\$ 17.00
<b>Optional color</b>	<b>Optional Fixture Colors:</b> cr (chrome) gd (gold)		cr, gd		add	\$ 5.00






<b>Ringo LED</b>	3.27 in. w x 1 in. recess with 2 in. cutout. 0.67 in. profile	8308nL				
	White fixture color (trim ring).		wh			
	LED -Choose from Standard 1.7 watt, energy efficient LED bulb (~12 w Halogen)					
	Specify LED Type: <u>10ww</u> =197 Lumen warm white; <u>10cw</u> =218 Lumen cool white; <u>10bu</u> = blue; <u>10rd</u> =red			Lg4b____		\$ 32.00
<b>Optional Brighter LED</b>	LED -2.2 watt, ww= 267 Lumen warm white, cw= 297 Lumen cool white			Lg4b15__	add	\$ 3.00
<b>Ringo 3-Way LED</b>	Optional 3 Way LED Bulb - (toggle off/on to dim) 197/129/65 Lumens ww, 2 watts			Lg4b963ww	add	\$ 5.00
	Optional 3 Way LED Bulb - (toggle off/on to dim) 275/220/55 Lumens ww, 3.3 watts			Lg4b15123ww	add	\$ 7.00
<b>Optional color</b>	Optional Fixture Colors: cr (chrome) gd (gold)		cr, gd		add	\$ 5.00
<b>Recessed Lights -Adjustable / Swivel</b>						
<b>Series</b>	<b>Description</b>	<b>Base No.</b>	<b>Fixture Color</b>	<b>Bulb No./Color</b>		<b>MSRP</b>
<b>Comet R</b>	Recessed adjustable ceiling light, plastic with frosted lens, low profile					
	3.17 in. w x 0.8 in. recess with 2.31 in. cutout	8780nf				
	White fixture color (swivel and trim ring).		wh			
	Standard bulb: G4 10 watt Xenon bulb			fg41210		\$ 27.00
<b>Optional color</b>	<b>Optional Fixture Colors:</b> cr (chrome with black swivel)		cr		add	\$ 5.00
<b>Optional switch</b>	<b>Optional built-in toggle switch</b> - change base "n" to "s" and add to fixture price	8780sf			add	\$ 8.00
<b>Comet R LED</b>	3.17 in. w x 0.8 in. recess with 2.31 in. cutout	8780nL				
	White fixture color (swivel and trim ring).		wh			
	LED -Choose from Standard 1.5 watt, energy efficient LED bulb (~12 w Halogen)					
	Specify LED Type: 928ww=187 Lumen warm white; 928cw=192 Lumen cool white; 10bu= blue; 10rd=red			Lg4s____		\$ 38.00
<b>Optional Brighter LED</b>	LED - 2.1 watt - <u>128ww</u> = 240 Lumens warm white; <u>128cw</u> = 284 Lumens cool white			Lg4s____	add	\$ 3.00
<b>Optional: Bi-Color LED Bulb</b> - specify color/power (toggle off/on to change color)						
	<u>3rd6ww</u> or <u>3bu6ww</u> (3 red or 3 blue LEDs [15 lumen] AND 6 warm white LEDs [117 Lumens], 1.34 watts			Lg4s3__6ww	add	\$ 6.00
	<u>6rd10ww</u> or <u>6bu10ww</u> (6 red or 6 blue LEDs [27 lumen] AND 10 warm white LEDs [173 Lumens], 1.8 watts			Lg4s6__10ww	add	\$ 9.00
<b>Comet R 3-Way</b>	Optional 3 Way LED Bulb - (toggle off/on to dim) 197/129/65 Lumens ww, 2 watts			Lg4s963ww	add	\$ 5.00
<b>Optional color</b>	<b>Optional Fixture Colors:</b> cr (chrome with black swivel)		cr		add	\$ 5.00
<b>Optional switch</b>	add toggle switch to fixture - change base "n" to "s" and add to fixture price	8780sL			add	\$ 8.00
<b>Spot Gyro LED</b>	4.4 in. with 1.375 in. recess with 3 in. cutout for fixture, plus 0.75 in c/o for Switch	87072sL				
	White fixture color		wh			
	LED -Choose from Standard 2 watt, energy efficient LED bulb (~12 w Halogen)					
	Specify LED Type: 10ww=197 Lumen warm white; 10cw=218 Lumen cool white; 10bu= blue; 10rd=red			Lg4b____		\$ 38.00
<b>Optional Brighter LED</b>	LED -2.2 watt, ww= 267 Lumen warm white, cw= 297 Lumen cool white			Lg4b15__	add	\$ 3.00
<b>Spot Gyro 3-Way</b>	Optional 3 Way LED Bulb - (toggle off/on to dim) 197/129/65 Lumens ww, 2 watts			Lg4b963ww	add	\$ 5.00
	Optional 3 Way LED Bulb - (toggle off/on to dim) 275/220/55 Lumens ww, 3.3 watts			Lg4b15123ww	add	\$ 7.00

<b>Zach LED</b>	Low profile adjustable aluminum ceiling light					
	3.47 in. diameter; 2.92 in cutout, 0.87 in. h	bg06nL				
	<b>Fixture colors:</b> cr (chrome) <i>limited availability</i>		cr			
	CREE LED bulb - 200 Lumens, warm white 2700-3000k			3ww		\$ 74.00
<b>Surface mount - Fixed</b>						
Series	Description	Base No.	Fixture Color	Bulb No./Color		MSRP
<b>Corona</b>	Surface mount ceiling light, plastic spiral patterned frosted lens, rocker switch					
	5.88 in. w x 2 in. h	8150sf				
	White fixture color (trim ring).		wh			
	Standard bulb: G4 10 watt Xenon bulb			fg41210		\$ 30.00
<b>Corona LED</b>	5.88 in. w x 2 in. h	8150sL				
	White fixture color (trim ring).		wh			
	<b>LED</b> -Choose from Standard 1.7 watt, energy efficient LED bulb (~12 w Halogen)					
	Specify LED Type: 10ww=197 Lumen warm white; 10cw=218 Lumen cool white; 10bu= blue; 10rd=red			Lg4b____		\$ 41.00
<b>Optional Brighter LED</b>	LED -2.2 watt, ww= 267 Lumen warm white, cw= 297 Lumen cool white			Lg4b15__	add	\$ 3.00
<b>Optional: Bi-Color LED Bulb</b> - specify color/power (toggle off/on to change color)						
	3 red <u>rd</u> or 3 blue <u>bu</u> LEDs [15 lumen] AND 12 warm white LEDs [160 Lumens], 2.4 watts			Lg4b3_12ww	add	\$ 9.00
<b>Corona 3-Way</b>	Optional 3 Way LED Bulb - (toggle off/on to dim) 197/129/65 Lumens ww, 2 watts			Lg4b963ww	add	\$ 5.00
	Optional 3 Way LED Bulb - (toggle off/on to dim) 275/220/55 Lumens ww, 3.3 watts			Lg4b15123ww	add	\$ 7.00
<b>Elipse LED</b>	Low profile aluminum ceiling light 10-30v dc with blue LED night light and dimmer					
	8 5/8 in. w x 4 1/2 in d x 1/2 in h oval shape	bg13sL				
	Colors: Chromed color (cr); Satin nickel (sn) or		cr, sn			
	6 watts warm white LED 3100k, 462 Lumens white, blue LED night light			ww		\$ 115.00
<b>Math 60 LED</b>	Low profile aluminum ceiling light (9-16v DC) IP 60					
	2.36 in. diameter base, 0.59 in. h	bg25nL				
	<b>Fixture colors:</b> br (brass); cr (chrome) <i>limited availability</i>		br, cr			
	LED bulb - 180 Lumens, warm white 2700-3000k			3ww		\$ 69.00
<b>Math 120 LED</b>	Low profile aluminum ceiling light (9-16v DC) IP 60				Special order - min. qty	
	4.72 in. diameter base, 0.59 in. h	bg252nL				
	<b>Fixture colors:</b> br (brass); cr (chrome)		br, cr			
	LED bulb - 580 Lumens, warm white 2700-3000k			8ww		\$ 86.00
<b>Math 190 LED</b>	Low profile aluminum ceiling light (9-16v DC) IP 60				Special order - min. qty	
	7.48 in. diameter base, 0.59 in. h	bg259nL				
	<b>Fixture colors:</b> br (brass); cr (chrome)		br, cr			
	LED bulb - 860 Lumens, warm white 2700-3000k			12ww		\$ 116.00

	<b>Sarah LED</b>	ULTRA Low ceiling hugger surface mount light, plastic with frosted plastic lens						
		4.8 in. w x 0.75 (0.9 with switch) in. h						
		White fixture color (trim ring).						
		Standard bulb: LED 408 Lumens, 5 watts, warm white, 3300k	102nL	wh	5ww			\$ 24.00
	<b>Optional switch</b>	<b>Optional switch in center of fixture (shown)</b>	102sL	wh	5ww			\$ 26.00
	<b>Saturn</b>	Surface mount ceiling light, plastic with frosted plastic lens, with rocker switch						
		6.68 in. w x 1 in. h	8716sf					
		White fixture color (trim ring).		wh				
		Standard bulb: G4 10 watt Xenon bulb			fg41210			\$ 31.00
	<b>Optional color</b>	<b>Optional Fixture colors : cr (chrome)</b>		cr			add	\$ 8.00
	<b>Saturn LED</b>	6.68 in. w x 1 in. h	8716sL					
		White fixture color (trim ring).						
		<b>LED -Choose from Standard 1.5 watt, energy efficient LED bulb (~12 w Halogen)</b>		wh				
		Specify LED Type: 928ww=187 Lumen warm white; 928cw=192 Lumen cool white; 10bu= blue; 10rd=red			Lg4s__			\$ 44.00
	<b>Optional Brighter LED</b>	LED - 2.1 watt - <u>128ww</u> = 240 Lumens warm white; <u>128cw</u> = 284 Lumens cool white			Lg4s__		add	\$ 3.00
	<b>Optional: Bi-Color LED Bulb - specify color/power (toggle off/on to change color)</b>							
		3rd6ww or 3bu6ww (3 red or 3 blue LEDs [15 lumen] AND 6 warm white LEDs [117 Lumens], 1.34 watts			Lg4s3__6ww		add	\$ 6.00
		6rd10ww or 6bu10ww (6 red or 6 blue LEDs [27 lumen] AND 10 warm white LEDs [173 Lumens], 1.8 watts			Lg4s6__10ww		add	\$ 9.00
	<b>Saturn 3-Way</b>	<b>Optional 3 Way LED Bulb - (toggle off/on to dim) 197/129/65 Lumens ww, 2 watts</b>			Lg4s963ww		add	\$ 5.00
	<b>Optional color</b>	<b>Optional Fixture colors : chrome (cr)</b>		cr			add	\$ 8.00
	<b>Sienna LED</b>	ULTRA Low ceiling hugger surface mount light, plastic with frosted plastic lens						
		3 in. w x 0.5 (0.6 with switch) in. h						
		White fixture color (trim ring).						
		Standard bulb: LED 204 Lumens, 2.52 watts, warm white 3300k	103nL	wh	5ww			\$ 17.00
	<b>Optional switch</b>	<b>Optional switch in center of fixture (shown)</b>	103sL	wh	5ww			\$ 19.00
	<b>Star</b>	Surface mount ceiling light, plastic with frosted glass lens.						
		2.85 in. w x 1 in. h.	8507nf					
		White fixture color (trim ring).		wh				
		Standard bulb: G4 10 watt Xenon bulb			fg41210			\$ 18.00
	<b>Optional color</b>	<b>Optional Fixture Colors: cr (chrome)</b>		cr			add	\$ 6.00
	<b>Optional switch</b>	<b>Optional built-in toggle switch (chrome only) - change base "n" to "s" and add to fixture price</b>	8507sf				add	\$ 8.00
	<b>Star LED</b>	2.85 in. w x 1 in. h.	8507nL					
		White fixture color (trim ring).		wh				
		<b>LED -Choose from Standard 1.5 watt, energy efficient LED bulb (~12 w Halogen)</b>						
		Specify LED Type: 928ww=187 Lumen warm white; 928cw=192 Lumen cool white; 10bu= blue; 10rd=red			Lg4s__			\$ 30.00
	<b>Optional Brighter LED</b>	LED - 2.1 watt - <u>128ww</u> = 240 Lumens warm white; <u>128cw</u> = 284 Lumens cool white			Lg4s__		add	\$ 3.00
	<b>Optional: Bi-Color LED Bulb - specify color/power (toggle off/on to change color)</b>							

	3rd6ww or 3bu6ww (3 red or 3 blue LEDs [15 lumen] AND 6 warm white LEDs [117 Lumens], 1.34 watts)			Lg4s3__6ww	add	\$ 6.00
	6rd10ww or 6bu10ww (6 red or 6 blue LEDs [27 lumen] AND 10 warm white LEDs [173 Lumens], 1.8 watts)			Lg4s6__10ww	add	\$ 9.00
<b>Star LED 3-Way</b>	Optional 3 Way LED Bulb - (toggle off/on to dim) 197/129/65 Lumens ww, 2 watts			Lg4s963ww	add	\$ 5.00
<b>Optional color</b>	<b>Optional Fixture Colors:</b> cr (chrome)		cr		add	\$ 6.00
<b>Optional switch</b>	add toggle switch to fixture (chrome only) - change base "n" to "s" and add to fixture price	8507sL			add	\$ 8.00
<b>Sun</b>	Surface mount ceiling light, plastic with plastic lens, rocker switch					
	4.33 in. w x 1.5 in. h.	8311sf				
	White fixture color (trim ring).		wh			
	Standard bulb: G4 10 watt Xenon bulb			fg41210		\$ 21.00
<b>Optional color</b>	<b>Optional Fixture Colors:</b> cr (chrome)		cr		add	\$ 11.00
<b>Sun LED</b>	4.33 in. w x 1.5 in. h.	8311sL				
	White fixture color (trim ring).		wh			
	<b>LED</b> -Choose from Standard 1.7 watt, energy efficient LED bulb (~12 w Halogen)					
	Specify LED Type: 10ww=197 Lumen warm white; 10cw=218 Lumen cool white; 10bu= blue; 10rd=red			Lg4b__		\$ 33.00
<b>Optional Brighter LED</b>	LED -2.2 watt, ww= 267 Lumen warm white, cw= 297 Lumen cool white			Lg4b15__	add	\$ 3.00
<b>Optional: Bi-Color LED Bulb</b> - specify color/power (toggle off/on to change color)						
	3 red rd or 3 blue bu LEDs [15 lumen] AND 12 warm white LEDs [160 Lumens], 2.4 watts			Lg4b3__12ww	add	\$ 9.00
<b>Sun LED 3-Way</b>	Optional 3 Way LED Bulb - (toggle off/on to dim) 197/129/65 Lumens ww, 2 watts			Lg4b963ww	add	\$ 5.00
	Optional 3 Way LED Bulb - (toggle off/on to dim) 275/220/55 Lumens ww, 3.3 watts			Lg4b15123ww	add	\$ 7.00
<b>Optional color</b>	<b>Optional Fixture Colors:</b> cr (chrome)		cr		add	\$ 11.00
<b>Thin</b>	Ultra-thin oval plastic light fixture with soft white lens with on/off push button switch on face					
	8.5 in. w x 4.8 in., profile 0.71 in	3301				
	Fixture colors: wh (white); bk (black)					\$ 39.00
	LED -650 Lumen warm white 3300k, 7.2 watts			Lcdww		
<b>Surface mount Lights -Adjustable / Swivel</b>						<b>MSRP</b>
<b>Series</b>	<b>Description</b>	<b>Base No.</b>	<b>Fixture Color</b>	<b>Bulb No./Color</b>		
<b>Comet S</b>	Surface mount adjustable ceiling light, plastic with glass frosted lens, with rocker switch					
	4 in. round with 1.5-2 in. h on max.	8710sf				
	White fixture color (swivel and trim ring).		wh			
	Standard bulb: G4 10 watt Xenon bulb			fg41210		\$ 37.00
<b>Optional color</b>	<b>Optional Fixture Colors:</b> cr (chrome with black swivel)		cr		add	\$ 7.00
<b>Comet S LED</b>	4 in. round with 1.5-2 in. h on max.	8710sL				
	White fixture color (swivel and trim ring).		wh			
	<b>LED</b> -Choose from Standard 1.5 watt, energy efficient LED bulb (~12 w Halogen)					
	Specify LED Type: 928ww=187 Lumen warm white; 928cw=192 Lumen cool white; 10bu= blue; 10rd=red			Lg4s__		\$ 49.00
<b>Optional Brighter LED</b>	LED - 2.1 watt - 128ww = 240 Lumens warm white; 128cw = 284 Lumens cool white			Lg4s__	add	\$ 3.00



<b>Optional: Bi-Color LED Bulb</b> - specify color/power (toggle off/on to change color)					
	3rd6ww or 3bu6ww (3 red or 3 blue LEDs [15 lumen] AND 6 warm white LEDs [117 Lumens], 1.34 watts)			Lg4s3__6ww	add \$ 6.00
	6rd10ww or 6bu10ww (6 red or 6 blue LEDs [27 lumen] AND 10 warm white LEDs [173 Lumens], 1.8 watts)			Lg4s6__10ww	add \$ 9.00
<b>Comet S 3-Way</b>	Optional 3 Way LED Bulb - (toggle off/on to dim) 197/129/65 Lumens ww, 2 watts			Lg4s963ww	add \$ 5.00
<b>Optional color</b>	<b>Optional Fixture Colors:</b> cr (chrome with black swivel)		cr		add \$ 7.00
<b>Reading / Wall Lights (Adjustable / Swivel/ Stationary)</b>					<b>MSRP</b>
<b>Series</b>	<b>Description</b>	<b>Base No.</b>	<b>Fixture Color</b>	<b>Bulb No./Color</b>	
<b>Dane LED</b>	Wall light aluminum with <b>USB port</b> , round base and solid shade with clear glass cover, swivels right/left, up/down				
	<b>Built-in on/off soft touch memory dimmer</b>				
	2.56 in. diameter base, 3.15 in. h, 4.15 d	bg10usL			
	<b>Fixture colors:</b> cr (chrome); sn (satin nickel)		cr, sn		
	LED bulb - 220 Lumens, warm white 2800-3200k			ww	\$ 118.00
<b>Devon LED</b>	Wall light aluminum with round base and white glass shade, swivels right/left, up/down				
	<b>Built-in on/off soft touch memory dimmer</b>				
	2.56 in. diameter base, 3.49 in. h, 4.22 d	bg18sL			
	<b>Fixture colors:</b> br(brass) - <i>limited stock</i>		br		\$ 79.00
	Cree LED bulb - 220 Lumens, warm white 2700-3000k			3ww	
<b>Flex LED</b>	Wall light aluminum with <b>USB port</b> , flexible neck round base, solid shade.				
	2.53 in. diameter base, 3.7 in. h, 4.5 d - at 90 degree angle	5415sL			
	<b>Fixture color:</b> sn (satin nickel)		sn		
	LED bulb - 2 watts, 160 Lumens. USB Port 5v, 2.1 amp.				
	<b>Built in night LED nightlight color - bw (blue); ww (warm white)</b>			bw, ww	\$ 59.00
<b>Hayden LED</b>	Sconce wall light aluminum with round base and elegant curved glass shade. Stationary				
	Built-in on/off soft touch memory dimmer				
	2.56 in. diameter base, 5.08 in. h, 3.25 in. d	bg26sL			
	Fixture colors: cr (chrome); sn (satin nickel)		cr, sn		
	LED bulb - 220 Lumens, warm white 2700-3000k			3ww	\$ 79.00
<b>Mini</b>	Wall light plastic narrow base with rocker switch, Swivels right to left, up/down				
	1.6 in wide base, 3.85 in. h, 4.64 in max. extension	8658sf			
	White fixture color		wh		
	Standard bulb: G4 10 watt Xenon bulb			fg41210	\$ 34.00
<b>Optional color</b>	<b>Optional Fixture Colors:</b> cr (chrome)		cr		add \$ 9.00

	<b>Mini LED</b>	1.6 in wide base, 3.85 in. h, 4.64 in max. extension	8658sL				
		White fixture color		wh			
		LED -Choose from Standard 1.7 watt, energy efficient LED bulb (~12 w Halogen) Specify LED Type: 10ww=197 Lumen warm white; 10cw=218 Lumen cool white; 10bu= blue; 10rd=red				Lg4b____	\$ 46.00
	<b>Optional Brighter LED</b>	LED -2.2 watt, ww= 267 Lumen warm white, cw= 297 Lumen cool white				Lg4b15__	add \$ 3.00
<b>Optional: Bi-Color LED Bulb</b> - specify color/power (toggle off/on to change color)							
		3 red rd or 3 blue bu LEDs [15 lumen] AND 12 warm white LEDs [160 Lumens], 2.4 watts				Lg4b3__12ww	add \$ 9.00
	<b>Mini LED 3 Way</b>	Optional 3 Way LED Bulb - (toggle off/on to dim) 197/129/65 Lumens ww, 2 watts				Lg4b963ww	\$ 5.00
		Optional 3 Way LED Bulb - (toggle off/on to dim) 275/220/55 Lumens ww, 3.3 watts				Lg4b15123ww	add \$ 7.00
	<b>Optional color</b>	<b>Optional Fixture Colors:</b> cr (chrome)		cr			add \$ 9.00
	<b>Opal II</b>	Wall light with plastic tear drop base, with rocker switch, glass frosted shade, switched, Swivels right to left, up/down					
		2.63 in. tear drop base, 5.37 in. h, 6.25 in max. extension	8000sf				
		Chromed plastic color Standard bulb: G4 10 watt Xenon bulb		cr		fg41210	\$ 65.00
	<b>Opal II LED</b>	2.63 in. tear drop base, 5.37 in. h, 6.25 in max. extension	8000sL				
		chrome only		cr			
		LED -Choose from Standard 2.5 watt, energy efficient LED bulb (~15 w Halogen) Specify LED Type: ww=267 Lumen warm white; cw=245 cool white				Lg4ta24__	\$ 80.00
	<b>Piper LED</b>	Compact sconce wall light aluminum with round base and narrow glass shade. Stationary					
		<b>Built-in on/off soft touch memory dimmer</b>					
		2.56 in. diameter base, 5.28 in. h, 3.94 in. d	bg23sL				
		Fixture colors: cr (chrome); sn (satin nickel) - <i>limited stock</i> Cree LED bulb - 220 Lumens, warm white 2700-3000k		cr, sn			3ww
	<b>Tube</b>	Wall light with plastic tear drop base, plastic shade, with rocker switch, Swivels right to left, up/down					
		2.63 in. tear drop base, 3.25 in. h, 4.25 in. max. extension	8006sf				
		White fixture color Standard bulb: G4 10 watt Xenon bulb		wh		fg41210	\$ 39.00
	<b>Optional color</b>	Optional Fixture Colors: cr (chrome) Limited avail - gd (gold), ms (matt silver)		cr, ms, gd			add \$14.00
	<b>Tube LED</b>	3 in. w x 0.75 in. recess with 2 in. cutout	8000sL				
		White fixture color		wh			
		LED -Choose from Standard 1.5 watt, energy efficient LED bulb (~12 w Halogen) Specify LED Type: 928ww=187 Lumen warm white; 928cw=192 Lumen cool white; 10bu= blue; 10rd=red				Lg4s____	\$ 49.00
		<b>Optional Brighter LED</b>	LED - 2.1 watt - 128ww = 240 Lumens warm white; 128cw = 284 Lumens cool white				Lg4s____
<b>Optional: Bi-Color LED Bulb</b> - specify color/power (toggle off/on to change color)							
		3rd6ww or 3bu6ww (3 red or 3 blue LEDs [15 lumen] AND 6 warm white LEDs [117 Lumens], 1.34 watts				Lg4s3__6ww	add \$ 6.00
		6rd10ww or 6bu10ww (6 red or 6 blue LEDs [27 lumen] AND 10 warm white LEDs [173 Lumens], 1.8 watts				Lg4s6__10ww	add \$ 9.00

















<b>Tube 3-Way LED</b>	Optional 3 Way LED Bulb - (toggle off/on to dim) 197/129/65 Lumens ww, 2 watts			Lg4s963ww	add	\$ 5.00
<b>Optional color</b>	<b>Optional Fixture Colors:</b> cr (chrome) Limited avail - gd (gold), ms (matt silver)		cr, ms, gd		add	\$14.00
<b>Vance LED</b>	Wall light / sconce aluminum with <b>USB port</b> , flexible neck round base, solid shade.					
	Overall 3.2" base diameter; 4.9" h, 5.7" protrusion (45°), base protrusion, 1". reading head OD 1"	8102sL				
	<b>Fixture color:</b> matt black		bk			
	LED bulb - 10-15v dc, 2 watts, 10 Lumens Sconce, 150 Lumens Reader, 3500 K. USB Port 5v, 2.1 amp.			wwu		
	Touch operation: nightlight (sconce); reading light and nightlight, both off.					\$ 65.00
<b>Utility Lights - Fixed</b>						
<b>Series</b>	<b>Description</b>	<b>Base No.</b>	<b>Fixture Color</b>	<b>Bulb No./Color</b>		<b>MSRP</b>
<b>Square</b>	Surface mount utility light, plastic with patterned plastic lens, with rocker switch					
	4.38 in. square x 1.56 in. h.	8611sf				
	White fixture color		wh			
	Standard bulb: G4 10 watt Xenon bulb			fg41210		\$ 22.00
<b>Square LED</b>	4.38 in. square x 1.56 in. h.	8611sL				
	White fixture color		wh			
	<b>LED</b> -Choose from Standard 1.7 watt, energy efficient LED bulb (~12 w Halogen)					
	Specify LED Type: 10ww=197 Lumen warm white; 10cw=218 Lumen cool white; 10bu= blue; 10rd=red				Lg4b____	\$ 34.00
<b>Optional Brighter LED</b>	LED -2.2 watt, ww= 267 Lumen warm white, cw= 297 Lumen cool white			Lg4b15__	add	\$ 3.00
<b>Optional: Bi-Color LED Bulb</b> - specify color/power (toggle off/on to change color)						
	3 red <u>rd</u> or 3 blue <u>bu</u> LEDs [15 lumen] AND 12 warm white LEDs [160 Lumens], 2.4 watts			Lg4b3_12ww	add	\$ 9.00
<b>Square 3-Way</b>	Optional 3 Way LED Bulb - (toggle off/on to dim) 197/129/65 Lumens ww, 2 watts			Lg4b963ww	add	\$ 5.00
	Optional 3 Way LED Bulb - (toggle off/on to dim) 275/220/55 Lumens ww, 3.3 watts			Lg4b15123ww	add	\$ 7.00
<b>Smart</b>	Surface mount - Door Activated light, frosted plastic lens with switch.	8930sf				
	1.26 in. round x 1.38 in. h, white fixture		wh			
	Standard bulb: G4 5 watt Xenon bulb			fg4125		\$ 21.00
	<b>Smart LED</b>	1.26 in. round x 1.38 in. h, white fixture	8930sL	wh		
	LED -Choose from Standard 0.54 watt, LED bulb					
	Specify LED - ww (warm white 55 Lumens); cw (cool white 60 Lumens)			Lg4t12__		\$ 30.00

Chart Lights					MSRP	
Series	Description	Base No.	Fixture Color	Bulb No./Color		
<b>Chart Light</b>	Chart wall light with flexible arm and 2 axis rotating plastic shade, with switch					
	Base 2.36 in. round, shade 2.28" wide, flexible metal gooseneck 11.8 in., chrome, g4 10 watt halogen	8235sf	cr	fg41210		\$ 86.00
<b>Chart Light LED</b>	Specify LED Type: 10ww=197 Lumen warm white; 10cw=218 Lumen cool white; 10bu= blue; 10rd=red	8235sL	cr	Lg4b10__		\$ 102.00
Courtesy / Water Resistant / Waterproof Lights					MSRP	
Series	Description	Base No.	Fixture Color	Bulb No./Color		
<b>LED courtesy</b>	LED Courtesy Step Light, recess mount with Blue LED, spring clip installation	156nL				
	2.9" square, cutout 1.97", recess depth 0.93 in, profile 0.34"					
	Fixture colors: aL = aluminum		aL			
	1 watt Blue LED - 12 volt DC			bu		\$ 21.00
<b>Motion Sensor</b>	Motion sensor LED step / courtesy light, plastic frame, IP 65 waterproof	ms171nL				
	2.5" square, profile 0.75"					
	Fixture colors: bk = black wh= white		bk, wh			
	0.6 watts, 25 lumens, 3500 K warm white LED			ww		\$ 24.00
<b>Targa</b>	Recessed mount plastic light fixture with O-ring seals and frosted plastic lens. IP 64 waterproof					
	3.6 in. round, 1.2 in. recess, 0.5 in. profile, 2.56 in. round cutout.	8990nf				
	White fixture color		wh			
	Standard bulb: G4 10 watt Xenon bulb			fg41210		\$ 34.00
<b>Optional color</b>	<b>Optional Fixture Colors:</b> cr (chrome)		cr		add	\$ 5.00
<b>Targa LED</b>	3.6 in. round, 1.2 in. recess, 0.5 in. profile, 2.56 in. round cutout.	8990nL				
	White fixture color		wh			
	LED -Choose from Standard 1.5 watt, energy efficient LED bulb (~12 w Halogen)					
	Specify LED Type: 928ww=187 Lumen warm white; 928cw=192 Lumen cool white; 10bu= blue; 10rd=red			Lg4s__		\$ 44.00
<b>Optional Brighter LED</b>	LED - 2.1 watt - <u>128ww</u> = 240 Lumens warm white; <u>128cw</u> = 284 Lumens cool white			Lg4s__	add	\$ 3.00
<b>Optional: Bi-Color LED Bulb</b> - specify color/power (toggle off/on to change color)						
	3rd6ww or 3bu6ww (3 red or 3 blue LEDs [15 lumen] AND 6 warm white LEDs [117 Lumens], 1.34 watts			Lg4s3__6ww	add	\$ 6.00
	6rd10ww or 6bu10ww (6 red or 6 blue LEDs [27 lumen] AND 10 warm white LEDs [173 Lumens], 1.8 watts			Lg4s6__10ww	add	\$ 9.00
<b>Targa 3-Way LED</b>	Optional 3 Way LED Bulb - (toggle off/on to dim) 197/129/65 Lumens ww, 2 watts			Lg4s963ww	add	\$ 5.00
<b>Optional color</b>	<b>Optional Fixture Colors:</b> cr (chrome)		cr		add	\$ 5.00

<b>Targa Cap</b>	Recessed side mount plastic light fixture with O-ring seals, frosted plastic milk lens. IP 64 waterproof				
	3.6 in. round, 1.2 in. recess, .87in. profile with 2.56 in. dia. cutout	8991nf			
	White fixture color		wh		
	Standard bulb: G4 10 watt Xenon bulb			fg41210	\$ 35.00
<b>Optional color</b>	<b>Optional Fixture Colors:</b> cr (chrome)		cr		add \$ 7.00
<b>Targa Cap LED</b>	3.6 in. round, 1.2 in. recess, .87in. profile with 2.56 in. dia. cutout	8991nL			
	White fixture color		wh		
	<b>LED</b> -Choose from Standard 1.5 watt, energy efficient LED bulb (~12 w Halogen)				
	Specify LED Type: 928ww=187 Lumen warm white; 928cw=192 Lumen cool white; 10bu= blue; 10rd=red			Lg4s____	\$ 46.00
<b>Optional Brighter LED</b>	LED - 2.1 watt - <u>128ww</u> = 240 Lumens warm white; <u>128cw</u> = 284 Lumens cool white			Lg4s____	add \$ 3.00
<b>Optional: Bi-Color LED Bulb</b> - specify color/power (toggle off/on to change color)					
	3rd6ww or 3bu6ww (3 red or 3 blue LEDs [15 lumen] AND 6 warm white LEDs [117 Lumens], 1.34 watts			Lg4s3__6ww	add \$ 6.00
	6rd10ww or 6bu10ww (6 red or 6 blue LEDs [27 lumen] AND 10 warm white LEDs [173 Lumens], 1.8 watts			Lg4s6__10ww	add \$ 9.00
<b>Targa Cap 3-Way</b>	Optional 3 Way LED Bulb - (toggle off/on to dim) 197/129/65 Lumens ww, 2 watts			Lg4s963ww	add \$ 5.00
<b>Optional color</b>	<b>Optional Fixture Colors:</b> cr (chrome)		cr		add \$ 7.00

Dimmer					MSRP	
Series	Description	Base No.	Knob Color	Bezel Color		
	<b>BD1209</b>	Rotary 12-24 volt dc dimmer LED bulbs. 2 amps, 24 watts at 12volt, 48 watts at 24 volt				
		2.36" square, 2.125 in. cut-out diameter, 0.75 in. recess, 0.35" profile	bd1209			
		White knob/bezel		wh	\$ 74.00	
		Optional knob/bezel color: cr (chrome)		cr	add \$ 5.00	
Single & Double Switches					MSRP	
Series	Description	Base No.	Switch Color	Bezel Color		
	<b>Standard</b>	12v Rocker Switch - color coordinate with dimmers and fixtures				
		2.4 in. square, 1 in. recess, 0.35 in. profile, 2.1 in. round cutout				
		Single rocker switch with switch color: wh (white); bk (black), white bezel	48601	wh, bk	wh	\$ 13.00
		Optional bezel colors: cr (chrome); gd (gold); ms (matt silver); sd (silver sand)			cr, gd, ms, sd	add \$ 4.00
		Double rocker switch with switch color: wh (white); bk (black), white bezel	48602	wh, bk	wh	\$ 20.00
				cr, gd, ms, sd	add \$ 4.00	

\*Lumens - translation of lumens to wattage is not a direct science. We use 16 as our efficacy (lumens/watts) to establish our halogen wattage comparison figures and 7 as our comparison to incandescent bulbs. LED bulbs are 10-30v DC only.

~Blue background NEW ITEM.

FriLight LED fixtures are paired with Bee Green LED bulbs and may be different than models shown on FriLight web site.

Prices are FOB Hernando, FL and are subject to change without notice.

Availability subject to change due to manufacturers continued product improvements.



Part number legend:

8675sLwhLg4s10ww

